



PATENT
SSV-61600

APPENDIX

1. A jewelry organizer for holding jewelry such as rings, earrings, drop earrings, watches, bracelets, necklaces, and other strands of jewelry, comprising:
 - a body having an upper surface and a lower surface;
 - a knob protruding upwardly from the upper surface;
 - at least one compartment formed in the upper surface of the body for receiving jewelry, each compartment defined as an elongated channel surrounding the knob; and
 - an outer rim around the periphery of the outermost compartment, the outer rim having a substantially flat surface; and
 - a recess in the lower surface of the body wherein the recess and the knob provide a means for a stackable configuration.
2. The jewelry organizer of claim 1, where in the body of the jewelry organizer is a plate-like structure.
3. The jewelry organizer of claim 2, wherein the knob has a frustoconical shape and has a diameter and height capable of holding at least one ring.
4. The jewelry organizer of claim 1, wherein each channel is formed in a substantially concentric pattern.
5. The jewelry organizer of claim 4, wherein each channel has an upstanding side wall separating each compartment from an adjacent compartment.
6. The jewelry organizer of claim 1 wherein the outer rim is at least two inches in width to allow space for an earring to be displayed.
7. The jewelry organizer of claim 6, wherein the outer rim includes a lip sized to receive a hook of a drop earring thereon.

8. A jewelry organizer for holding jewelry such as rings, earrings, drop earrings, watches, bracelets, necklaces, and other strands of jewelry, comprising:
- a body having an upper surface and a lower surface;
 - a knob protruding upwardly from the upper surface;
 - at least one compartment formed in the upper surface of the body for receiving jewelry, each compartment defined as an elongated channel sized to receive a piece of jewelry;
 - a recess in the lower surface of the body; and
 - an outer rim around the periphery of the outermost compartment.
9. The jewelry organizer of claim 8, wherein the knob has a diameter and height capable of receiving at least one ring.
10. The jewelry organizer of claim 9, wherein the recess is sized to receive a knob of a second jewelry organizer for stacking thereon such that sufficient space is maintained between the stacked jewelry organizers to allow jewelry to be placed in each of the compartments.
11. The jewelry organizer of claim 10, wherein the recess is placed on the knob of a second jewelry organizer, the second jewelry organizer further comprising:
- a body having an upper surface and a lower surface;
 - a knob protruding upwardly from the upper surface;
 - at least one compartment formed in the upper surface of the body for receiving jewelry, each compartment defined as an elongated channel sized to receive a piece of jewelry;
 - a recess in the lower surface of the body; and
 - an outer rim around the periphery of the outermost compartment.
12. The jewelry organizer of claim 8, wherein the outer rim includes a lip which is sized to receive a hook of a drop earring thereon.

13. The jewelry organizer of claim 12, wherein the outer rim has a width of at least one inch and has a substantially flat surface for displaying a drop earring when the drop earring is hooked onto the lip.

14. A jewelry organizer for holding jewelry such as rings, earrings, drop earrings, watches, bracelets, necklaces, and other strands of jewelry, comprising:

a first body having

an upper surface and a lower surface,

a knob protruding upwardly from the upper surface,

at least one compartment formed in the upper surface of the body for receiving jewelry, each compartment defined as an elongated channel, with the compartments formed in a substantially concentric pattern, and

an outer rim around the periphery of the outermost compartment; and

a second body having

an upper surface and a lower surface,

at least one compartment formed in the upper surface of the body for receiving jewelry, each compartment defined as an elongated channel, with the compartments formed in a substantially concentric pattern, and

a recess in the lower surface of the body sized to receive the knob of the first body therein, wherein the second body is stacked on the first body by positioning the recess of the second body onto the knob of the first body.

15. The jewelry organizer of claim 14, wherein the lower surface of the first body further includes a recess, and the upper surface of the second body further includes an upwardly protruding knob capable of adding further stackable configurations.

16. The jewelry organizer of claim 14, wherein the outer rim of each body includes a lip sized to receive a hook of a drop earring.

17. The jewelry organizer of claim 16, wherein the outer rim of each body has a width of at least two inches and a substantially flat surface for displaying a drop earring when the drop earring is hooked onto the lip.